






# Axle Part # Convention

801-658-0968

sales@tpwusa.com



Weight Rating	Axle Style	Lug	Hub, Drum, Disc Brake Type	Hubface Length
<b>AX20</b> = 2K <b>AX35</b> = 3.5K <b>AX52</b> = 5.2K <b>AX60</b> = 6K <b>AX70</b> = 7K <b>AX80</b> = 8K <b>AX100</b> = 10K <b>AX120</b> = 12K	<b>S</b> = Straight <b>D</b> = Drop <b>BD</b> = Boat Drop <b>T</b> = Torsion <b>CT</b> = Clockable Torsion	<b>Bare</b> = N/A <b>440</b> (4 on 4" - 1/2" Studs) <b>545</b> (5 on 4.5" - 1/2" Studs) <b>655</b> (6 on 5.5" - 1/2" Studs) <b>865</b> (8 on 6.5" - 1/2" Studs) <b>865A</b> (8 on 6.5" - 9/16" Studs) <b>865B</b> (8 on 6.5" - 5/8" Studs)	<b>Bare</b> = N/A <b>ID</b> = Idler <b>EB</b> = Electric Brakes (Drum) <b>HB</b> = Hydraulic Brakes (Drum) <b>HDB</b> = Hydraulic Disc Brakes <b>HDBE</b> = Hydraulic Disc Brakes (Economy) <b>HDBS</b> = Hydraulic Disc Brakes (Single Wheel) <b>HDBD</b> = Hydraulic Disc Brakes (Dual Wheel)	<b>40" - 96"</b> in .5" increments  (Other lengths can be built upon request)

The axle part number format above are for "Production" axles, meaning they are kitted, price managed, and typically in stock. TPW can build many other axle configurations that are not listed above, but availability and pricing may vary.



# TPW Additional Labor and Fees



Part Number	Description	Notes
<b>TPWLAB-SEATWELD</b>	Labor to weld axle seats	Customer will add this as a line item on their PO. On their order they will sell it as a line item.
<b>TPWLAB-HYDBRAKE</b>	Fee to cover labor and part price difference for converting an electric braking axle to hydraulic	Customer will add this as a line item on their PO. On their order they will sell it as a line item.
<b>TPWLAB-PAINT</b>	Labor to paint axle	Customer will add this as a line item on their PO. On their order they will sell it as a line item.
<b>TPWLAB-ASSEMBLEEND</b>	General Labor to Assemble and Install Wheel Ends.	Customer will use this option to have a non-production axle built. Use this in cases where the TPW shop is loading a bare beam with hubs.
<b>TPWLAB-ASSEMBLEOLDEND</b>	Labor to remove, clean, repack, and reload old hubs on light duty trailer axle	Use this if customer wants TPW to remove good components off from an old axle to load them onto a new one
<b>TPWLAB-MISC</b>	Miscellaneous charges related to axle labor. This is a catch-all part number if a better one does not exist	TPW bills \$60 per hour. Estimate the time you put on PO to TPW , and then re-bill to your customer. You can purchase/bill in decimal increments. For example: .5 hours = \$30 cost.
<b>TPWT-175180-90</b>	Axle tubing 1.75" O.D. 90" long. Used as inner tube on a 2-3/8" tube axle (AKA: 3.5 - 4.4k dual wall)	Billed in addition to any 3.5K axle
<b>TPWT-238180-90</b>	Axle tube 2-3/8" O.D. 90" Long. Used as inner tube on a 3" tube axle (AKA 5.2 - 7K Dual Wall)	Billed in addition to any 5.2-7K axle
<b>TPW238HEAVYWALL</b>	Upcharge to cover for thicker tubing to upgrade a 3.5k beam to a 4.4k beam	TPW will substitute T-238180-90 tube for heavy wall T-238220-90. They will also bill a TPW238HEAVYWALL line item.
<b>TPWLAB-OVERSIZE</b>	Upcharge for oversize material to build axles with greater than 96" hubface (Note that any 2-7K axle over 96" hubface will be marked: <b>Not for Highway Use</b> )	Note for TPW: These oversize tubes will be under the part numbers: 10A0003, and 10A0008
<b>TPWLAB-HMTBRACKET</b>	Upcharge for 1" high-mount torsion axle brackets (Includes right and left-hand brackets)	Billed in addition to any 3.5K or 5.2-7K Torsion Axle. Bracket is 1" taller than standard bracket. Often seen on horse trailers to give clearance for axle camber.
<b>TPWLAB-DTTORSION</b>	"Cowboy style" - Dual-tube torsion axle ends	In severe service applications the bottom of the axle can wear through where the rubber cartridge makes contact with the steel. By dual tubing the ends, the pressure points are reinforced and become twice as strong.
<b>TPWPALLET102x40</b>	102" Long x 40" wide pallet for shipping axles	Fee to cover cost of oversize pallet for shipping axles truck freight.
<b>TPWFEE-RUSH</b>	Fee to rush axle build	Billed in addition to any axle where a rush fee may be required to produce axle ahead of other axles, or after hours, etc.

If any of the above items are needed, please include it as a line item on your PO to TPW. Thank You!



# Light Trailer Bearing/Race Chart



Race	Race OD	Bearing	Bearing ID
<b>382A</b>	3.813	<b>387A</b>	2.250
<b>394A</b>	4.331	<b>395S</b>	2.625
<b>1729</b>	2.240	<b>1779</b>	0.938
<b>2729</b>	3.000	<b>2788</b>	1.500
<b>2520</b>	2.615	<b>2585</b>	1.313
<b>3920</b>	4.438	<b>3984</b>	2.625
<b>02420</b>	2.688	<b>02475</b>	1.250
<b>14276</b>	2.717	<b>14125A</b>	1.250
<b>15245</b>	2.441	<b>15123</b>	1.250
<b>25520</b>	3.265	<b>25580</b>	1.750
<b>28521</b>	3.625	<b>28580</b>	2.000
<b>28622</b>	3.844	<b>28682</b>	2.250
<b>L44610</b>	1.980	<b>L44643</b>	1.000
<b>L44610</b>	1.980	<b>L44649</b>	1.063
<b>LM48510</b>	2.563	<b>LM48548</b>	1.375
<b>LM67010</b>	2.328	<b>LM67048</b>	1.250
<b>L68111</b>	2.361	<b>L68149</b>	1.378
<b>LM11910</b>	1.781	<b>LM11949</b>	0.750
<b>LM29710</b>	2.563	<b>LM29749</b>	1.500
<b>JM205110</b>	3.543	<b>JM205149</b>	1.969
<b>LM501310</b>	2.891	<b>LM501349</b>	1.625
<b>JM511910</b>	4.331	<b>JM511946</b>	2.559



**801-658-0968**  
**sales@tpwusa.com**





# TPW Axle Spindle Hardware Quick Reference



Axle Size	Spindle / TPW Axle Group	Seal Surface Diameter	Inner Bearing Surface Dia.	Outer Bearing Surface Dia.	Spindle Nut	Cotter Pin	Washer	Tang washer	Notes
2K Solid/Torsion	BTR / 1B	1.50	1.062	1.062	CN1	CP180-2180 Spring Axles	SW1 Spring Axles DW1 Torsion Axles	TW1 Torsion Axles	
		Seal	Bearings						
		GS-1500DL	L44649	L44649					
3.5K Solid/Torsion	#84 / 2	1.719	1.376	1.062					
		Seal	Bearings						
		GS-1719DL	L68149	L44649					
5.2-7K Solid/Torsion	#42 / 4	2.25	1.749	1.249					
		Seal	Bearings						
		GS-2250DL	25580	14125A					
8K Solid	8	2.25	1.749	1.249					
		Seal	Bearings						
		GS-2250DL	25580	02475					
10K Solid	12	2.875	2.250	1.75	CN1-12	N/A	TG1-12	TW1-12	
		Seal	Bearings						
		OS-2875	387A	25580					
12K Solid	17	3.125	2.625	2.25	CNF1-34	N/A	TG1-34	TW1-34	
		Seal	Bearings						
		OS-3125	3984	28682					

Spindle to brake flange is deeper than 7K, and flange is larger to allow for heavier 12.25 x 3.38" Brakes



# TPW Trailer Fenders



TO ORDER: [SALES@TPWUSA.COM](mailto:SALES@TPWUSA.COM) - OR - CALL: 801-658-0968

## Single Fenders



Round



Jeep

Part Number	Width	Length	Height	Fits Tire Sizes:	Style	Material	Thickness	Radius Type	Back Part Number	Competitor #
TPWFND1-1415RS16-A	9"	32"	15"	14"-15"	Round	Steel	16 Gauge	90 Deg Back, Rounded One Side	FB10-32R or FB12-32R	F9X32-1R
TPWFND1-1415JAD10-A	9"	36"	19"	14"-15"	Jeep	Aluminum Diamond Plate	0.100	90 Deg Back, Rounded One Side		
TPWFND1-1315JSD14-B	10"	36"	19.25"	13"-15"	Jeep	Steel Diamond Plate	14 Gauge	90 Deg Round Bend (Flat Both Sides)		

## Tandem Fenders







Teardrop



Jeep

Part Number	Width	Length	Height	Fits Tire Sizes:	Style	Material	Thickness	Radius Type	Back Part Number	Competitor #
TPWFND2-1415TS16-A	9"	66"	19.75"	14"-15"	Teardrop	Steel	16 Gauge	90 Deg Back, Rounded One Side	FB12-66R	FTD9X66-1R
TPWFND2-1315TA09-A	9"	66"	19.75"	14"-15"	Teardrop	Smooth Aluminum	.090	90 Deg Back, Rounded One Side	FB12-66RAD	
TPWFND2-1415TAD05-A	9"	66"	19.75"	14"-15"	Teardrop	Aluminum Diamond Plate	.056	90 Deg Back, Rounded One Side	FB12-66RAD	
TPWFND2-1516TS16-A	9"	72"	20.5"	15"-16"	Teardrop	Steel	16 Gauge	90 Deg Back, Rounded One Side	FB12-72R	FTD9X72-1R
TPWFND2-1516TA09-A	9"	72"	20.5"	15"-16"	Teardrop	Smooth Aluminum	.090	90 Deg Back, Rounded One Side	FB12-72RAD	FTD9X72-1RA
TPWFND2-1516TAD05-A	9"	72"	20.5"	15"-16"	Teardrop	Aluminum Diamond Plate	.056	90 Deg Back, Rounded One Side	FB12-72RAD	
TPWFND2-1516JSD14-C	10"	72"	19"	15"-16"	Jeep	Steel Diamond Plate	14 Gauge	90 Deg Round Bend (Flat Both Sides)	FB12-72J	J101972-TP

# Leaf Springs



TPW Part Number	Old TPW Part #	Width	Bolt Size	Type	A Eye to Center	B Center to End	C Arch	D Pack Thickness	E Overall Length	Leaves	Grading	Bushing Material	Capacity Per Spring
TPWDE-7213	TPWML-013-00	1-3/4"	9/16"	Double Eye	11-1/4	11-1/4	3-1/8	1.10	20-1/2	4	2/312, 2/237	Nylon	1400
TPWDE-SW4B	TPWML-042-00	1-3/4"	9/16"	Double Eye	13-1/4	13-1/4	3	1.29	25-1/4	4	4/323	Nylon	1750
TPWDE-SW4	TPWML-025-00	1-3/4"	9/16"	Double Eye	13-1/4	13-1/4	3	1.44	25-1/4	4	4/360	Nylon	2500
TPWDE-SW5	TPWML-111-00	1-3/4"	9/16"	Double Eye	13-1/4	13-1/4	3	1.80	25-1/4	5	5/360	Nylon	2900
TPWDE-SW6	TPWML-223-00	1-3/4"	9/16"	Double Eye	13-1/4	13-1/4	3	2.05	25-1/4	6	3/360, 3/323	Nylon	3200
TPWDE-AWS2		1-3/4"	9/16"	Double Eye	14	14	4-1/4	0.72	26	2	2/360	Nylon	1000
TPWDE-AWS3	TPWMLA-050	1-3/4"	9/16"	Double Eye	14	14	4-1/4	1.08	26	3	3/360	Nylon	1500
TPWDE-AWS4	TPWMLA-051	1-3/4"	9/16"	Double Eye	14	14	4-1/4	1.44	26	4	4/360	Nylon	2000
TPWDE-AWS5	TPWMLA-052	1-3/4"	9/16"	Double Eye	14	14	4-1/4	1.80	26	5	5/360	Nylon	2500
TPWDE-AWS6	TPWMLA-053	1-3/4"	9/16"	Double Eye	14	14	4-1/4	2.16	26	6	6/360	Nylon	3000
TPWDE-AWS7	TPWMLA-054	1-3/4"	9/16"	Double Eye	14	14	4-1/4	2.52	26	7	7/360	Nylon	3500
TPWDE-AWS8		1-3/4"	9/16"	Double Eye	14	14	4-1/4	2.88	26	8	8/360	Nylon	4000
TPWSH-7232	TPWML-032-00	2"	9/16"	Eye/Slipper Hook	12	16	3-1/8	1.80	26-1/4	5	5/360	Nylon	3500
TPWSH-7233	TPWML-033-00	2"	9/16"	Eye/Slipper Hook	12	16	2-5/8	2.52	26-1/4	7	7/360	Nylon	4000
TPWSF-72102		2"	5/8"	Eye/Slipper Flat	14-1/4	17-1/2	3-7/8	2.54	30	6	3/447, 3/401	Rubber or Nylon	4,500
TPWSR-7280		2-1/2"	3/4"	Eye/Slipper Radius	14-1/2	18	4	2.125	30	5	5/401	Rubber	5000
TPWSF-8131	TPW8131	2-1/2"	3/4"	Eye/Slipper Flat	15-1/4	19-1/8	4	2.20	32-1/2	5	5/447	Rubber	5000
TPWSF-8132	TPW8132	2-1/2"	3/4"	Eye/Slipper Flat	15-1/4	19-1/8	4	2.75	32-1/2	6	6/447	Rubber	6000
TPWSR-7277		2-1/2"	7/8"	Eye/Slipper Radius	14-1/2	18	4	2.125	30	5	5/401	Bronze	5000
TPWSR-72431		3"	1"	Eye/Slipper Radius	14-1/2	18-1/2	4	2.01	30-1/2	5	5/401	Rubber	5000
TPWSR-72441		3"	1"	Eye/Slipper Radius	14-1/2	18-1/2	4	2.41	30-1/2	6	6/401	Rubber	6000
TPWSR-72451		3"	1"	Eye/Slipper Radius	14-1/2	18-1/2	4	2.81	30-1/2	7	7/401	Rubber	7500



## Ubolt Kits

TPW Part #	Axle Size	Spring Width	Rod Dia.	Fits TPW Axles
UTK175	1-3/4"	1-3/4"	1/2"	2-2.5K
UTK238	2-3/8"	1-3/4 - 2"	1/2"	3.5K
UTK300	3"	1-3/4 - 2"	1/2"	5.2-7K
UTK300HD	3"	2"	9/16"	5.2-7K
UTK350	3-1/2"	2"	9/16"	8K
UTK500	5"	2-1/2"	5/8"	10-12K
UTK500-3	5"	3"	5/8"	10-12K
UTK500-3/75	5"	3"	3/4"	10-12K
Hardware				
TPWFN12	1/2" Nut for U-bolt			2-7K
TPWN916	9/16" Nut for U-bolt			8-9K
TPWFLNC58	5/8" Coarse Flange Nut for U-bolt			10-12K



## Trailer Lift Block Kits

TPW Part #	Description
TPWBLK1-12	1-1/2" Lift Block, 3/8" Hole
TPWBLK238KIT	1-1/2" Trailer Lift Kit for 2-3/8" Round Axles. Includes everything needed for 1 Axle.
TPWBLK300KIT	1-1/2" Trailer Lift Kit for 3" Round Axles. Includes everything needed for 1 Axle.

Works only on axles where springs are mounted on top of the axle.



## Suspension Bushings

Part Number	ID	OD	Length	Material
TPWBSN-1	9/16"	11/16"	1-3/4"	Nylon
TPWBSN-2	9/16"	11/16"	2"	Nylon
TPWBSN-3	9/16"	3/4"	1-3/4"	Nylon
TPWBSN-4	9/16"	3/4"	2"	Nylon
TPWBSN-5	9/16"	7/8"	1-3/4"	Nylon
TPWBSN-6	9/16"	1-1/4"	2"	Nylon
TPWBSN-7	5/8"	1-1/4"	1"	Nylon
TPWBSN-8	9/16"	1-1/4"	1"	Nylon
TPWBSN-9	3/4"	1"	1-3/4"	Nylon
TPWBSN-10	1/2"	11/16"	1-3/4"	Nylon
TPWBSN-11	1/2"	7/8"	1-3/4"	Nylon
TPWBSN-080	9/16"	1"	1-3/4"	Nylon
TPWBSN-HEB	3/4"	7/8"	1-3/4"	Nylon
TPWBSN-KHG	7/8"	1-1/16"	2-15/16"	Nylon



## Axle Seats

TPW Part Number	Description	Fits TPW Axles
TPWSS-175	Spring Seat, 1 3/4" Round	2.2K
TPWSS-200SQ	Spring Seat, for 2" Square Axle	2.2-3.5K
TPWSS-238	Spring Seat for 2-3/8" Tube; 1 3/4" Wide Spring;	2.2-4.4K
TPWSS-300	Spring Seat for 3" Tube; 1-3/4" Wide Spring	3.5-7.2K
TPWSS-350	Spring Seat for 3-1/2" Axle Tube	8K
TPWSS-400	Spring Seat for 4" Axle Tube	9K
TPWSS-500	Spring Seat for 5" Axle Tube, 2-1/2" Wide Springs - Cast	10K
TPWSS-500F	Spring Seat for 5" Axle Tube, 2-1/2" Wide Springs - Fabricated	10K
TPWSS-500A	Adjustable Spring Seat for 5" Axle Tube, 2-1/2" Wide Springs	10K
TPWSS-500HD	Spring Seat for 5" Axle Tube, 3" Wide Springs - Cast	10-15K
TPWSS-500HDF	Spring Seat for 5" Axle Tube, 3" Wide Springs - Fabricated	10-15K
TPWSS-500HDA	Adjustable Spring Seat for 5" Axle Tube, 3" Wide Springs	12-15K



## Suspension Bushings

(Continued)

Part Number	ID	OD	Length	Material
TPWBSB-ECB	9/16"	11/16"	1-3/4"	Bronze
TPWBSB-FBB	1/2"	3/4"	1-3/4"	Bronze
TPWBSB-FBC	1/2"	3/4"	2"	Bronze
TPWBSB-FCC	9/16"	3/4"	2"	Bronze
TPWBSB-HDB	5/8"	7/8"	1-3/4"	Bronze
TPWBSB-HDC	5/8"	7/8"	2"	Bronze
TPWBSB-HEB	11/16"	7/8"	1-3/4"	Bronze
TPWBSB-HEC	11/16"	7/8"	2"	Bronze
TPWBSB-JFB	3/4"	1"	1-3/4"	Bronze
TPWBSB-JFC	3/4"	1"	2"	Bronze
TPWBSB-JFE	3/4"	1"	2-1/2"	Bronze
TPWBSB-LHC	7/8"	1-1/8"	2"	Bronze
TPWBSB-LHE	7/8"	1-1/8"	2-1/2"	Bronze
TPWBSB-NJG	1"	1-1/4"	3"	Bronze
TPWBSR-D091414	1"	2-1/8"	4"	Rubber
TPWBSR-1473	5/8"	1-3/8"	2-3/16"	Rubber
TPWBSR-D091413	3/4"	1-13/16"	2-3/4"	Rubber
TPWBSR-14112	3/4"	2"	2-5/8"	Rubber
TPWBSR-1469	1"	2"	3"	Rubber




801-658-0968  
sales@tpwusa.com



# Hanger Kits

AP = Attaching Parts	S = Single D = Dual (Tandem) T = Triple	134 = 1-3/4 200 = 2" 250 = 2-1/2" 300 = 3"	DE = Double Eye SE = Slipper/Eye	D = Dexter Style DG = Dexter Genuine HD, LD = Heavy or Light-Duty W = Wide					
Axles	TPW Part Number	Spring Width	Type	Spring Bolt Diameter	Note	Capacity	Approx. Height Factor	Common Springs	Aproximate Axle Spacing W/Springs on Left
Single	TPWAPS134SE-BO	1-3/4"	Slipper/Eye	9/16"	Bolt-On Hangers	2-3.5K	5/8"	US-3031, SR-024	N/A
	TPWAPS134SE	1-3/4"	Slipper/Eye	9/16"		2-8K	11/16"	US-3031, SR-024	N/A
	TPWAPS134DE	1-3/4"	Double Eye	9/16"		2-7K	1-3/8"	DE-SW, DE-AW	N/A
	TPWAPS200SE	2"	Slipper/Eye	9/16"		3.5-8K	4-5/16"	SH-7232, SH-7233	N/A
	TPWAPS200SE-9K	2"	Slipper/Eye	5/8"		8-9K	5-5/8"	SF-72102	N/A
	TPWAPS250SE	2-1/2"	Slipper/Eye	3/4"		10K	4-7/8"	SR-7280, SF-8131, SF-8132	N/A
	TPWAPS300SE-D	3"	Slipper/Eye	1"	Dexter Style	10-15K	7"	SR-72431, SR-72441, SR-72451	N/A
Dual	TPWAPD134DE	1-3/4"	Double Eye	9/16"	Medium Shackle Straps	2-7K	3-3/8"	DE-SW, DE-AW	33-1/2" DE-SW & 34-1/4" DE-AW
	TPWAPD134DE-L	1-3/4"	Double Eye	9/16"	Long Shackle Straps	2-7K	3"	DE-SW, DE-AW	33-1/2" DE-SW & 34-1/4" DE-AW
	TPWAPD200SE	2"	Slipper/Eye	9/16"	Standard-Duty	3.5-8K	3-7/8"	SH-7232, SH-7233	33"
	TPWAPD200SE-HD	2"	Slipper/Eye	9/16"	Heavy-Duty	3.5-8K	3-7/8"	SH-7232, SH-7233	33"
	TPWAPD200SE-D38	2"	Slipper/Eye	5/8"	Dexter Style (13-1/8" Eq)	8-9K	5-1/4"	SF-72102	38"
	TPWAPD200SE-D42	2"	Slipper/Eye	5/8"	Dexter Style (17-3/8" Eq)	8-9K	5-1/4"	SF-72102	42"
	TPWAPD200SE-D48	2"	Slipper/Eye	5/8"	Dexter Style (23-1/2" Eq)	8-9K	5-1/4"	SF-72102	48"
	TPWAPD250SE-42	2-1/2"	Slipper/Eye	3/4"	15-3/4" Eq	10K	4-7/8"	SR-7280, SF-8131, SF-8132	42"
	TPWAPD250SE-48	2-1/2"	Slipper/Eye	3/4"	21-3/4" Eq	10K	4-7/8"	SR-7280, SF-8131, SF-8132	48"
	TPWAPD250SE-D38	2-1/2"	Slipper/Eye	3/4"	Dexter Style (14-1/4" Eq)	10K	4-3/4"	SR-7280, SF-8131, SF-8132	38"
	TPWAPD250SE-D42	2-1/2"	Slipper/Eye	3/4"	Dexter Style (18-3/8" Eq)	10K	4-3/4"	SR-7280, SF-8131, SF-8132	42"
	TPWAPD250SE-D48	2-1/2"	Slipper/Eye	3/4"	Dexter Style (24-5/8" Eq)	10K	4-3/4"	SR-7280, SF-8131, SF-8132	48"
	TPWAPD300SE-D38	3"	Slipper/Eye	1"	Dexter Style (14-1/4" Eq)	10-15K	5-1/4"	SR-72431, SR-72441, SR-72451	38"
	TPWAPD300SE-D42	3"	Slipper/Eye	1"	Dexter Style (18-3/8" Eq)	10-15K	5-1/4"	SR-72431, SR-72441, SR-72451	42"
TPWAPD300SE-D48	3"	Slipper/Eye	1"	Dexter Style (24-3/4" Eq)	10-15K	5-1/4"	SR-72431, SR-72441, SR-72451	48"	
Triple	TPWAPT134DE	1-3/4"	Double Eye	9/16"	Medium Shackle Straps	2-7K	3-3/8"	DE-SW, DE-AW	34" DE-SW & 34-3/4" DE-AW
	TPWAPT200SE-HD	2"	Slipper/Eye	9/16"	Heavy-Duty	3.5-8K	3-7/8"	SH-7232, SH-7233	33"
	TPWAPT200SE-D38	2"	Slipper/Eye	5/8"	Dexter Style (13-1/8" Eq)	8-9K	5-1/4"	SF-72102	38"
	TPWAPT200SE-D42	2"	Slipper/Eye	5/8"	Dexter Style (17-3/8" Eq)	8-9K	5-1/4"	SF-72102	42"
	TPWAPT200SE-D48	2"	Slipper/Eye	5/8"	Dexter Style (23-1/2" Eq)	8-9K	5-1/4"	SF-72102	48"
	TPWAPT250SE-42	2-1/2"	Slipper/Eye	3/4"	15-3/4" Eq	10K	4-7/8"	SR-7280, SF-8131, SF-8132	42"
	TPWAPT250SE-48	2-1/2"	Slipper/Eye	3/4"	21-3/4" Eq	10K	4-7/8"	SR-7280, SF-8131, SF-8132	48"
	TPWAPT250SE-D38	2-1/2"	Slipper/Eye	3/4"	Dexter Style (14-1/4" Eq)	10K	4-3/4"	SR-7280, SF-8131, SF-8132	38"
	TPWAPT250SE-D42	2-1/2"	Slipper/Eye	3/4"	Dexter Style (18-3/8" Eq)	10K	4-3/4"	SR-7280, SF-8131, SF-8132	42"
	TPWAPT250SE-D48	2-1/2"	Slipper/Eye	3/4"	Dexter Style (24-5/8" Eq)	10K	4-3/4"	SR-7280, SF-8131, SF-8132	48"
	TPWAPT300SE-D38	3"	Slipper/Eye	1"	Dexter Style (14-1/4" Eq)	10-15K	5-1/4"	SR-72431, SR-72441, SR-72451	38"
	TPWAPT300SE-D42	3"	Slipper/Eye	1"	Dexter Style (18-3/8" Eq)	10-15K	5-1/4"	SR-72431, SR-72441, SR-72451	42"
TPWAPT300SE-D48	3"	Slipper/Eye	1"	Dexter Style (24-3/4" Eq)	10-15K	5-1/4"	SR-72431, SR-72441, SR-72451	48"	

## Cast Equalizers



TPW Part #	A	B	C	D
TPWEQ-R2	5.5	1.5	9/16	9/16
TPWEQ-310	6.06	4	9/16	9/16
TPWEQ-104	5.75	2	9/16	9/16
TPWEQ-356	6.13	2.5	9/16	9/16
TPWEQ-458	6.25	2	3/4	9/16
TPWEQ-105	6.75	2	9/16	9/16
TPWEQ-126	9.06	3	9/16	9/16
TPWEQ-E1	7.75	2.88	9/16	9/16
TPWEQ-E34	7.75	2.88	3/4	9/16
TPWEQ-R83	8	1.75	3/4	9/16
TPWEQ-R89	8	1.75	9/16	9/16



## Shackle Links



TPW Part #	Description
TPWSL-225	Shackle Strap for 9/16" Bolt, 1-1/4" Wide X 2-1/4" Bolt Centers
TPWSL-263	Shackle Strap for 9/16" Bolt, 1-1/4" Wide X 2-5/8" Bolt Centers
TPWSL-313	Shackle Strap for 9/16" Bolt, 1-1/4" Wide X 3-1/8" Bolt Centers

801-658-0968

sales@tpwusa.com



## Slipper Spring Equalizers

TPW Part #	Type	Spring Width	A	B	C	D	E	F	Notes
TPWEQS-200	1	2"	12"	4-3/4"	4-5/8"	9/16"	7/8"	9/16"	Bushing is TPWBSN-KHG
TPWEQS-200-D38	1	2"	13-1/8"	5-1/2"	5-9/16"	5/8"	1"	5/16"	38" Axle Spacing
TPWEQS-200-D42	1	2"	17-3/8"	7-5/8"	7-3/4"	5/8"	1"	5/16"	42" Axle Spacing
TPWEQS-200-D48	1	2"	23-1/2"	10-3/4"	5/8"	5/8"	1"	5/16"	48" Axle Spacing
TPWEQS-250-42	2	2-1/2"	15-3/4"	4-3/4"	7"	7-7/8"	1"	2-3/8"	42" Axle Spacing
TPWEQS-250-48	2	2-1/2"	21-3/4"	4-3/4"	10"	10-7/8"	1"	2-3/8"	48" Axle Spacing
TPWEQS-250-D38	3	2-1/2"	14-1/4"	1-3/8"	1"	3/4"	-	-	38" Axle Spacing
TPWEQS-250-D42	3	2-1/2"	18-3/8"	1-3/8"	1"	3/4"	-	-	42" Axle Spacing
TPWEQS-250-D48	3	2-1/2"	24-5/8"	1-3/8"	1"	3/4"	-	-	48" Axle Spacing
TPWEQS-300-D38	4	3"	14-1/4"	5"	4-1/2"	1-1/8"	1"	-	38" Axle Spacing
TPWEQS-300-D42	4	3"	18-3/8"	7-1/8"	6-3/4"	1-1/8"	1"	-	42" Axle Spacing
TPWEQS-300-D48	4	3"	24-3/4"	10-3/8"	10"	1-1/8"	1"	-	48" Axle Spacing

# Suspension Bolts

Image	TPW Part Number	Description
	<b>TPW9163B</b>	9/16" x 3" Shackle Bolt
	<b>TPW9163BN</b>	9/16" x 3" Shackle Bolt and Nut
	<b>TPW91635B</b>	9/16" x 3.5" Shackle Bolt
	<b>TPW91635BN</b>	9/16" x 3.5" Shackle Bolt and Nut
	<b>TPW9163LB</b>	9/16" x 3" Lubed Shackle Bolt
	<b>TPW9163LBN</b>	9/16" x 3" Lubed Shackle Bolt and Nut
	<b>TPW91635LB</b>	9/16" x 3.5" Lubed Shackle Bolt
	<b>TPW91635LBN</b>	9/16" x 3.5" Lubed Shackle Bolt and Nut
	<b>TPWLN916</b>	9/16"-18 Lock Nut
	<b>TPW9163SB</b>	3" Step Bolt 9/16" Shaft, 7/16" Threads
	<b>TPW9163SBN</b>	3" Step Bolt 9/16" Shaft, 7/16" Threads with Nut
	<b>TPW9163LSB</b>	3" Lubed Step Bolt 9/16" Shaft, 7/16" Threads
	<b>TPW9163LSBN</b>	3" Lubed Step Bolt 9/16" Shaft, 7/16" Threads w/ Nut
	<b>TPW91635LSB</b>	3.5" Lubed Step Bolt 9/16" Shaft, 7/16" Threads
	<b>TPW91635LSBN</b>	3.5" Lubed Step Bolt 9/16" Shaft, 7/16" Threads w/ Nut
	<b>TPWFN716</b>	7/16"-20 Flange Nut
	<b>HBC58.4-12</b>	5/8"-11 x 4-1/2" Long UNC Bolt. Fits 2" Wide Slipper Spring Eyes with 5/8" eyes (Generally 8-9K)
	<b>LNC58</b>	5/8"-11 UNC Lock Nut
	<b>HBC34.4-12</b>	3/4"-10 x 4-1/2" Long UNC Bolt. Fits 2-1/2" Wide Slipper Spring eyes (Generally 10K)

Image	TPW Part Number	Description
	<b>TPWCBC34.412LB</b>	Cairrage Bolt 3/4"-10 Threads per Inch UNC X 4-1/2" Grade 5 With Zerk Spring Eye Bolt
	<b>TPWLN34</b>	3/4"-10 UNC Lock Nut
	<b>TPW78470LB</b>	7/8" X 4.7" Long, Lubed Equalizer Center Bolt, Grade 2, No Cotter Pin Hole
	<b>TPW78470LBN</b>	7/8" X 4.7" Long, Lubed Equalizer Center Bolt, Grade 2, No Cotter Pin Hole with Nut
	<b>TPWLN78</b>	7/8" Lock Nut
	<b>TPWHB1.6</b>	1"-14 X 6" Long UNF Equalizer Bolt for 9-10K" Equalizers
	<b>TPWLN1</b>	1"-14 UNF Lock Nut
	<b>TPWCBC1.514LB</b>	Cairrage Bolt 1"-8 Threads per Inch UNC X 5.25 Grade 5 With Zerk, 10K Dexter General Duty Equalizer Center Bolt
	<b>TPWLN1</b>	1"-8 UNC Lock Nut
	<b>TPWHBC1-18.6</b>	1-1/8"-7 X 6" Long UNC Equalizer Bolt for Dexter 10-15K 3" Wide Equalizers
	<b>TPWLN1-18</b>	1-1/8"-7 UNC Lock Nut

## Lug Nuts Attaching Hardware

TPW Part Number	Thread Dia.	Description
<b>TPWWN12</b>	1/2"-20	Hex Wheel Cone Nut, 60 Degree, Right Hand, 13/16" Wrench Size
<b>TPWWN12C</b>	1/2"-20	Hex Chrome Lug Nut, Capped, 60 Degree Cone, Right Hand, 1.45" Tall
<b>TPWWN12CL</b>	1/2"-20	Hex Chrome Lug Nut, Capped, 60 Degree Cone, Right Hand, 1.88" Tall
<b>TPWWN916</b>	9/16"-18	Hex Wheel Cone Nut, 60 Degree, Right Hand, 7/8" Wrench Size
<b>TPWWN916HD</b>	9/16"-18	Hex Wheel Cone Nut, 90 Degree, Right Hand, 1" Wrench Size
<b>TPWWN58S</b>	5/8"-18	Hex Wheel Cone Nut, 90 Degree, Right Hand, 15/16" Wrench Size
<b>TPWWN58</b>	5/8"-18	Hex Wheel Cone Nut, 90 Degree, Right Hand, 1-1/16" Wrench Size
<b>TPWWNF58</b>	5/8"-18	Hex Wheel Solid Flange Nut, Right Hand, 1-1/8" Wrench Size
<b>TPWWNF58</b>	5/8"-18	Hex Wheel Swivel Flange Nut, Right Hand, 1-1/8" Wrench Size
<b>TPWDMB-1</b>	1/2"-13	1.5" Drum Mounting Hex Flange Bolt for 10-12K axles


## Wheel Studs

TPW Part Number	Thread Diameter	Length from Under head	Serration Length	Shoulder Length	Knurl Diameter
<b>TPWWS12-178</b>	1/2"	1-7/8"	0.26	0.52	0.54
<b>TPWWS12-200</b>	1/2"	2"	0.38	0.52	0.55
<b>TPWWS12-200B</b>	1/2"	2"	0.62	0.73	0.62
<b>TPWWS12-212</b>	1/2"	2-1/2"	0.68	1.38	0.55
<b>TPWWS916-200</b>	9/16"	2"	0.31	0.75	0.69
<b>TPWWS916-2516</b>	9/16"	2-5/16"	0.34	0.64	0.62
<b>TPWWS916-2516B</b>	9/16"	2-5/16"	0.31	0.81	0.69
<b>TPWWS916-212</b>	9/16"	2-1/2"	0.31	0.81	0.69
<b>TPWWS58-212</b>	5/8"	2-1/2"	0.31	1.15	0.69
<b>TPWWS58-234</b>	5/8"	2-3/4"	0.31	1.03	0.69
<b>TPWWS58-300</b>	5/8"	3"	0.58	0.80	0.68

## Spindle Hardware

SW1
 CN78/CN1
 DW1
 TW1
 SN1
 RC1
 CP180-2180
 TG1-12 / TG1-34
 TW1-12 / TW1-34
 SN1-12 / SN1-34
 CN1-12 / CN1-34

TPW Part #	ID	Threads Per Inch	Description
<b>TPWCN78</b>	7/8"	14	Castle Spindle Nut, 6 Castellations
<b>TPWSW1</b>	1"	-	Washer 1.57 O.D. 1/8" Thick
<b>TPWCN1</b>	1"	14	UNS Spindle Nut, Fine Thread, 6 Castellation
<b>TPWCNF1/12</b>	1"	14	UNS Spindle Nut, Fine Thread, 12 Castellation
<b>TPWDW1</b>	1"	-	D-Washer (1.67" OD, 0.11 Thick)
<b>TPWDW1HD</b>	1"	-	D-Washer (2" OD, 0.13 Thick)
<b>TPWTW1</b>	1"	-	D-Style Tang Washer
<b>TPWRC1</b>	1"	-	Nut Retaining Cage for TPWSN1
<b>TPWSN1</b>	1"	14	Jam Style Spindle Nut for 2-8K EZ-Lube axles after 2002. Use with TPWRC1
<b>TPWTG1-12</b>	1-1/2"	-	Tongue Type Spindle Washer
<b>TPWTW1-12</b>	1-1/2"	-	Tang Type Spindle Washer
<b>TPWSN1-12</b>	1-1/2"	12	Fine Thread Spindle Nut for Spindles Using Grove/Tang Washer Axle Nut Retention
<b>TPWCN1-12</b>	1-1/2"	12	Fine Thread Castle Nut, 2-1/4" Drive Size Spindle Nut for Spindles Using Cotter Pin Axle Nut Retention
<b>TPWSW1-12</b>	1-1/2"	-	Spindle Washer
<b>TPWTG1-34</b>	1-3/4"	-	Tongue Type Spindle Washer
<b>TPWTW1-34</b>	1-3/4"	-	Tang Type Spindle Washer
<b>TPWSN1-34</b>	1-3/4"	12	Fine Thread Spindle Nut for Spindles Using Grove/Tang Washer Axle Nut Retention
<b>TPWCN1-34</b>	1-3/4"	12	Fine Thread 6 Slot Castle Spindle Nut for Spindles Using Cotter Pin Axle Nut Retention
<b>TPWCP180-2180</b>	-	-	1/8" Cotter Pin, 2-1/8" Long



**801-658-0968**  
sales@tpwusa.com



# Electric & Hydraulic Drum Brakes



Type	TPW Part Number	Cap.	Bolt Holes/Studs	Type	Brake Diameter	Shoe Width
Electric Drum	TPWEB3.5K-L	3.5K	4 Stud	Manual	10"	2-1/4"
	TPWEB3.5K-R	3.5K	4 Stud	Manual	10"	2-1/4"
	TPWEBA3.5K-L	3.5K	4 Stud	Auto	10"	2-1/4"
	TPWEBA3.5K-R	3.5K	4 Stud	Auto	10"	2-1/4"
	TPWEB7K-L	7K	5 Hole	Manual	12"	2"
	TPWEB7K-R	7K	5 Hole	Manual	12"	2"
	TPWEBA7K-L	7K	5 Hole	Auto	12"	2"
	TPWEBA7K-R	7K	5 Hole	Auto	12"	2"
	TPWEB7.2K-L	7.2K	4 Hole	Manual	12-1/4"	2-1/2"
	TPWEB7.2K-R	7.2K	4 Hole	Manual	12-1/4"	2-1/2"
	TPWEBA8K-4L	8K	4 Hole	Auto	12-1/4"	3-3/8"
	TPWEBA8K-4R	8K	4 Hole	Auto	12-1/4"	3-3/8"
	TPWEBA8KA-4L	8K Alko	4 Stud 3-3/4" C to C	Auto	12"	3-3/8"
	TPWEBA8KA-4R	8K Alko	4 Stud 3-3/4" C to C	Auto	12"	3-3/8"
	TPWEBA10K-7L	10K	7 Hole	Auto	12-1/4"	3-3/8"
	TPWEBA10K-7R	10K	7 Hole	Auto	12-1/4"	3-3/8"
	TPWEBA10K-5L	10K	5 Stud	Auto	12-1/4"	3-3/8"
	TPWEBA10K-5R	10K	5 Stud	Auto	12-1/4"	3-3/8"
	TPWEBA10KHD-7L	10K	7 Hole	Auto	12-1/4"	4"
	TPWEBA10KHD-7R	10K	7 Hole	Auto	12-1/4"	4"
TPWEBA12KA-5L	10-12K	5 Stud	Auto	12-1/4"	3-1/2"	
TPWEBA12KA-5R	10-12K	5 Stud	Auto	12-1/4"	3-1/2"	
TPWEBA12K-7L	12K	7 Hole	Auto	12-1/4"	5"	
TPWEBA12K-7R	12K	7 Hole	Auto	12-1/4"	5"	
Hydraulic Drum	TPWHBF3.5K-L	3.5K	4 Stud	Free Backing	10"	2-1/4"
	TPWHBF3.5K-R	3.5K	4 Stud	Free Backing	10"	2-1/4"
	TPWHBF7K-L	7K	5 Hole	Free Backing	12"	2"
	TPWHBF7K-R	7K	5 Hole	Free Backing	12"	2"
	TPWHBA8K-4L	8K	4 Hole	Auto	12-1/4"	3-3/8"
	TPWHBA8K-4R	8K	4 Hole	Auto	12-1/4"	3-3/8"
	TPWHBA10K-7L	10K	7 Hole	Auto	12-1/4"	3-3/8"
	TPWHBA10K-7R	10K	7 Hole	Auto	12-1/4"	3-3/8"
	TPWHBA10KHD-7L	10K	7 Hole	Auto	12-1/4"	4"
	TPWHBA10KHD-7R	10K	7 Hole	Auto	12-1/4"	4"
	TPWHBA12K-7L	12-16K	7 Hole	Auto	12-1/4"	5"
	TPWHBA12K-7R	12-16K	7 Hole	Auto	12-1/4"	5"

## Brake Parts

TPW Part Number	Description
TPWBP-MS8-16K	Magnet Brake Spring for 8-16K Brake Magnets
TPWBP-RC	Brake Magnet Retaining Clip fits many 7.2K - 15K Brake Assemblies
TPWBP-RC4	Brake Magnet Retaining Clips (Qty 4) fits many 7.2K - 15K Brake Assemblies
TPWN38	3/8"-24 Fine Nut
TPWLW38	3/8" Lock Washer
TPWN716	7/16"-20 Fine Nut
TPWLW716	7/16" Lock Washer



# Hydraulic Disc Brake Kits



Axle Kit Part #	Capacity	Type	Lug	Stud Size	Disc Size	Replacement Pad Kit	Hub Kit: Purchase 1 Per Hub	Notes
DBI-3.5K-MAXX	3.5K	Integrated	5 on 4.5	1/2"	10"	CALP-3-6K-BRAKE-PAD	HK-2	Slip Over Rotor: Rotor slips over an idler hub to convert it to disc brakes. Slip over bracket eliminates need to remove idler hub for easy installation
DBSO-3.5K-MAXX	3.5K	Slip Over	5 on 4.5	1/2"	10"		HK-4A	
DBI-6K-MAXX	6K	Integrated	6 on 5.5	1/2"	12"	CALP-7-8K-BRAKE-PAD	HK-4	
DBSO-6K-MAXX	6K	Slip Over	6 on 5.5	1/2"	12"		HK-4B	
DBI-7K-MAXX	7K	Integrated	8 on 6.5	1/2"	13.1"	CALP-7-8K-BRAKE-PAD	HK-4C	
DBSO-7K-MAXX	7K	Slip Over	8 on 6.5	1/2"	13.1"		HK-8	
DBI-7K-9-MAXX	7K	Integrated	8 on 6.5	9/16"	13.1"	CALP-7-8K-BRAKE-PAD	HK-12M	
DBI-7K-10-MAXX	7K	Integrated	8 on 6.5	5/8"	13.1"		HK-17M	
DBI-8KD9-MAXX	8K	Integrated	8 on 6.5	9/16"	13.1"	CALP-7-8K-BRAKE-PAD		
DBI-8KD10-MAXX	8K	Integrated	8 on 6.5	5/8"	13.1"			
DBI-10KDL-SW-MAXX	10K Single Wheel	Integrated	8 on 6.5	5/8"	13.1"			
DBI-10KDL-DW-E	10K Dual Wheel	Integrated	8 on 6.5	5/8"	13.1"			
DBI-12KDL-SW-MAXX	12K Single Wheel	Integrated	8 on 6.5	5/8"	13.1"			
DBI-12KDL-DW-E	12K Dual Wheel	Integrated	8 on 6.5	5/8"	13.1"			

Disc Brake Kits Available: 10K - 12K Single Wheel & 10K - 16K Dual Wheel  
Individual kit components are available, including brake pads




## TruRyde Value Line Disc Brakes



Axle Kit Part #	Component Part #	Type	Capacity	Lug Pattern	Disc Size	Hub Kit: Purchase 1 Per Hub	Notes
DBI-3.5K-TR-ECOAT	RTR/HUB-975-TR-ECOAT	Integrated	3.5k	5 on 4.5	9.75	HK-2	Similar to UFP. Caliper is unhandled meaning that Inlet and outlet ports can be swapped to make caliper right or left handed.
	CALP-3-6K-TR-ZINC						
DBI-6K-TR-ECOAT	RTR/HUB-1177-TR-ECOAT	Integrated	6K	6 on 5.5	11.77	HK-4A	
	CALP-3-6K-TR-ZINC						
	DBB-6K-TR-ZINC						



## Brake Magnets



TPW Part Number	Description
TPWBM-2K	Brake Magenet Kit 2.2K
TPWBM-3/3.5K	Brake Magnet Kit Oval 3K - 3.5k Fits most 3.5K Axles
TPWBM-3.5K	Brake Magnet Kit Dexter 3.5K Axle Green Wire
TPWBM-6/7K	Brake Magnet Kit 6-7K, Oval fits Dexter, Redline, Red Onyx, Alko
TPWBM-6K	Brake Magnet Kit 6K, Oval with White Wire
TPWBM-4/7K	Brake Magnet Kit 4.4K with 10" x 2-1/4", 7K with 12" x 2" brakes, Oval with Black Wire
TPWBM-7.2K	Brake Magnet Kit 7.2K, Oval with Red Wire
TPWBM-8K	Brake Magnet Kit 8K, Oval with White Wire
TPWBM-9/10K	Brake Magnet Kit 9-10K, Oval with Yellow Wire
TPWBM-10KW	Brake Magnet Kit for Warner 10K, Oval with side bars
TPWBM-12K	Brake Magnet Kit 12K, Oval with Black Wire
TPWBM-8/12KA	Brake Magnet Kit Vent Style Alko - 8Ks after '95, 9Ks after '94, 10Ks after '87, 12Ks after '89. Appearance is Rectangular with edges clipped and back is open
TPWBM-15K	Brake Magnet Kit 15K, Oval with Blue Wire

### Rubber Brake Lines

TPW Part #	Length: Inches and Feet
TPWDOT-RFL-18	18" -or- 1.5' Long
TPWDOT-RFL-38	38" -or- 3.16' Long
TPWDOT-RFL-72	72" -or- 6' Long
TPWDOT-RFL-96	96" -or- 8' Long
TPWDOT-RFL-220	220" -or- 18.3' Long
TPWDOT-RFL-252	252" -or- 21' Long
TPWDOT-RFL-312	312" -or- 26' Long

\* DOT Approved Rubber Flex Line, 3/16" Brass Fittings  
\* Other sizes available upon request



801-658-0968  
sales@tpwusa.com



# Hubs & Drums



Capacity	Part Number Prefixes	Part Number Suffixes	Old TPW #	Type	Lug	Stud Size	Axle Group	Races Inner/Outer:	Bearings Inner/Outer	Seal/ Cap	Hub Hardware Kit	Note 1	Note 2
2 - 2.5K	H440-1A	-R = Races Only -PG = Loaded, Pregreased -LG = Loaded, Grease Ready -KG = TPW Kitted, Grease Ready	17-100	Idler	4 on 4	1/2	1A	L44610	L44643	GS-1250DL / DC-199L	HK-1B	Hub works with BT8/BTR spindles, but the bearings and seal work for BT8 (1") Spindles onlyThe hub itself works with BT8/BTR spindles, but the bearings and seal work for BT8 (1") Spindles only	
	H545S-1A		17-105	Idler	5 on 4.5	1/2							
	H545-1A		17-145	Idler	5 on 4.5	1/2							
	H440-1B		17-155	Idler	5 on 4.5	1/2	1B	L44610	L44649	GS-1500DL / DC-199L	HK-1B		Fits TPW 2K Spindle.
	H545S-1B		17-160	Idler	4 on 4	1/2							
	H545-1B		17-175	Idler	5 on 4.5	1/2							
			17-150	Idler	5 on 4.5	1/2						Hub works with BT8/BTR spindles, but bearings and seal work for BTR (Also called a BT16 Spindle which is 1 1/16")	Small Flange for 8-12" wheels
			17-165	Idler	5 on 4.5	1/2							Large flange for 13-15" wheels
Capacity	New TPW Part #	Part Number Suffixes	Old TPW #	Type	Lug	Stud Size	Axle Group	Races Inner/Outer:	Bearings Inner/Outer	Seal/ Cap	Hardware Kit	Note 1	Note 2
3.5 - 4.4K	H545-2	-R = Races Only -PG = Loaded, Pregreased -LG = Loaded, Grease Ready -KG = TPW Kitted, Grease Ready	17-110	Idler	5 on 4.5	1/2	2	L68111 L44610	L68149 L44649	GS-1719DL / DC-199L	HK-2	Fits TPW 3.5-4.4K spindle (#84 Spindle)	
	HD545-2		19-100	Hub/Drum	5 on 4.5	1/2							
	H5475-2		17-115	Idler	5 on 4.75	1/2							
	HD5475-2		19-105	Hub/Drum	5 on 4.75	1/2							
	H550-2		17-120	Idler	5 on 5	1/2							
	HD550-2		19-110	Hub/Drum	5 on 5	1/2							
	H555-2		17-125	Idler	5 on 5.5	1/2							
	HD555-2		19-115	Hub/Drum	5 on 5.5	1/2							
	H655-2		17-130	Idler	6 on 5.5	1/2							
HD655-2	19-120	Hub/Drum	6 on 5.5	1/2									
Capacity	New TPW Part #	Part Number Suffixes	Old TPW #	Type	Lug	Stud Size	Axle Group	Races Inner/Outer:	Bearings Inner/Outer	Seal/ Cap	Hardware Kit	Note 1	Note 2
5.2 - 7K	H655-4	-R = Races Only -RO = Races Only (Oil) -PG = Loaded, Pregreased -LG = Loaded, Grease Ready -KG = TPW Kitted, Grease Ready -LO = Loaded, Oil Ready -KO = TPW Kitted, Oil Ready	17-135	Idler	6 on 5.5	1/2	4	25520	25580	GS-2250DL / DC-244L	HK-4A	Fits TPW 5.2-7K Spindle (#42 Spindle)	<b>TPW Hub Kit comes with:</b> <b>GS-2250DL</b> (2-1/4" ID) Grease Seal <b>DC-272L</b> Grease Caps  <b>Optional:</b> <b>GS-2125DL</b> (2-1/8" ID) Grease Seal <b>OS-2250</b> (2-1/4" ID) Oil Seal <b>OC-287</b> Oil Cap
	HD655-4		19-125	Hub/Drum	6 on 5.5	1/2		15245	15123				
	H865-4		17-140	Idler	8 on 6.5	1/2							
	HD865-4		19-130	Hub/Drum	8 on 6.5	1/2		25520	25580	GS-2250DL / DC-272L	HK-4 HK-4B (9/16" Studs) HK-4C (5/8" Studs)		
	HD865A-4		19-135	Hub/Drum	8 on 6.5	9/16		14276	14125A				
	HD865B-4		N/A	Hub/Drum	8 on 6.5	5/8							
8K	HD865A475-8		N/A	Hub/Drum	8 on 6.5	9/16	8	25520	25580	GS-2250DL / DC-272L	HK-8 (9/16" Studs) HK-8B (5/8" Studs)	Fits TPW 8K Spindle. 12-1/4" x 3-3/8" Brakes	
	HD865B475-8		N/A	Hub/Drum	8 on 6.5	5/8		02420	02475				
Capacity	New TPW Part #	Part Number Suffixes	Old TPW #	Type	Lug	Stud Size	Axle Group	Races Inner/Outer:	Bearings Inner/Outer	Seal/ Cap	Hardware Kit	Note 1	Note 2
9 - 10K	H865B475-12	-R = Races Only	N/A	Hub	8 on 6.5	5/8	12	382A	387A	OS-2875 (10-51) / OC-400	HK-12 HK-12M (Metal Hubcap)	Fits Dexter 9/10K Axles, 4.75" Pilot, Replaces 1 piece Hub/Drum	For 12.25 x 3-3/8" Brakes Use TPWDMB-1 Mounting Bolts
	D12		N/A	Drum	N/A	N/A		N/A	N/A	N/A	N/A	Hub and Drum mate on 5.25" Pilot TPWDMB-1 Drum Mounting Bolts	
10K	H865B475-14	-PG = Loaded, Pregreased -LG = Loaded, Grease Ready	N/A	Hub	8 on 6.5	5/8	14	394A	395S	OS-3125 (10-56) / OC-400	HK-14 HK-14M (Metal Hubcap)	Fits Dexter 10K axles, 4.75" Pilot	12-1/4" x 4" wide drum
	D14	-KG = TPW Kitted, Grease Ready	N/A	Drum	N/A	N/A	14	N/A	N/A	N/A	TPWDMB-1 Drum Mounting Bolts	12-1/4" x 4" Drum Fits Dexter 10K Axles. No ABS	
12K	H865B475-17	-LO = Loaded, Oil Ready -KO = TPW Kitted, Oil Ready	N/A	Hub	8 on 6.5	5/8	17	3920	3984	OS-3125 (10-56) / OC-400	HK-17	Fits Dexter 12K Axles, 4.75" Pilot	For 12.25 x 5" Brakes Use TPWDMB-1 Mounting Bolts
	D17/19/20		N/A	Drum	N/A	N/A	17/19/20	N/A	N/A	N/A	TPWDMB-1 Drum Mounting Bolts	12-1/4" x 5" Drum for Dexter 12K-16K Axles	
15-16K	H8275-19		N/A	Hub	8 on 275mm	22MM	19	3920	3984	OS-3125 (10-56) / OC-400	HK-19 HK-19M (Metal Hubcap)	Hub for 15-16K Axles. 8 Lug - 275mm Bolt Circle, 22mm studs, Use with D17/19/20 Drum	

# Wheel End Hardware Kits

Part #	Axle Capacities	Lug	Stud Size	Seal	Inner Bearing	Outer Bearing	Washer	Retaining Washer	Tang Washer	Cotter Pin	Spindle Nut	Cap	Plug	Lug Nuts		Similar to:
														Part #	Qty	
TPWHK-1A	2-2.2K (BT8 Spindle)	4/5	1/2"	GS-1250DL	L44643	L44643	SW1	DW1	TW1	CP180-2180	CN1	DC-199L	DC-RP	WN12	5	BK1-100
TPWHK-1B	2.2-2.5K (BTR Spindle)	4/5	1/2"	GS-1500DL	L44649	L44649	SW1	DW1	TW1	CP180-2180	CN1	DC-199L	DC-RP	WN12	5	BK1-150
TPWHK-2	3.5-4.4K (#84 Spindle)	5/6	1/2"	GS-1719DL	L68149	L44649	SW1	DW1	TW1	CP180-2180	CN1	DC-199L	DC-RP	WN12	6	BK2-100
TPWHK-4A	5.2-6K (#42 Spindle)	6	1/2"	GS-2250DL	25580	15123	SW1	DW1	TW1	CP180-2180	CN1	DC-244L	DC-RP	WN12	6	BK3-100
TPWHK-4	7K (#42 Spindle)	8	1/2"	GS-2250DL	25580	14125A	SW1	DW1	TW1	CP180-2180	CN1	DC-272L	DC-RP	WN12	8	BK3-200
TPWHK-4B	7K (#42 Spindle)	8	9/16"	GS-2250DL	25580	14125A	SW1	DW1	TW1	CP180-2180	CN1	DC-272L	DC-RP	WN916	8	BK3-200
TPWHK-4C	7K (#42 Spindle)	8	5/8"	GS-2250DL	25580	14125A	SW1	DW1	TW1	CP180-2180	CN1	DC-272L	DC-RP	WN58	8	
TPWHK-8	8K Grease Hubs	8	9/16"	GS-2250DL	25580	02475	SW1	DW1	TW1	CP180-2180	CN1	DC-272L	DC-RP	WN916	8	BK4-100
TPWHK-8B	8K Grease Hubs, Cone Nuts	8	5/8"	GS-2250DL	25580	02475	SW1	DW1	TW1	CP180-2180	CN1	DC-272L	DC-RP	WN58	8	BK4-100
TPWHK-8O	8K Oil Hubs	8	9/16"	GS-2250DL	25580	02475	SW1	DW1	TW1	CP180-2180	CN1	OC-287	DC-RP	WN916	8	BK4-100
TPWHK-8BO	8K Oil Hubs, Cone Nuts	8	5/8"	GS-2250DL	25580	02475	SW1	DW1	TW1	CP180-2180	CN1	OC-287	DC-RP	WN58	8	BK4-100
TPWHK-12	9-10K	8	5/8"	OS-2875	387A	25580	N/A	TG1-12	TW1-12	N/A	CN1-12	OC-400	DC-RP	WN58	8	BK5-100
TPWHK-12M	9-10K With Metal Cap	8	5/8"	OS-2875	387A	25580	N/A	TG1-12	TW1-12	N/A	CN1-12	OC-400M	DC-RP	WN58	8	BK5-100
TPWHK-14	10K	8	5/8"	OS-3125	395S	387A	N/A	TG1-34	TW1-34	N/A	CN1-34	OC-400	DC-RP	WN58	8	BK5-200
TPWHK-14M	10K With Metal Cap	8	5/8"	OS-3125	395S	387A	N/A	TG1-34	TW1-34	N/A	CN1-34	OC-400M	DC-RP	WN58	8	BK5-200
TPWHK-17	12K	8	5/8"	OS-3125	3984	28682	N/A	TG1-34	TW1-34	N/A	CN1-34	OC-400	DC-RP	WN58	8	BK5-300
TPWHK-17M	12K With Metal Cap	8	5/8"	OS-3125	3984	28682	N/A	TG1-34	TW1-34	N/A	CN1-34	OC-400M	DC-RP	WN58	8	BK5-300
TPWHK-19	15-16K	8	22mm	OS-3125	3984	28682	N/A	TG1-34	TW1-34	N/A	CN1-34	OC-400	DC-RP	13-3052	8	BK5-300
TPWHK-19M	15-16K With Metal Cap	8	22mm	OS-3125	3984	28682	N/A	TG1-34	TW1-34	N/A	CN1-34	OC-400M	DC-RP	13-3052	8	BK5-300

It is recommended to use metal hub caps in disc brake applications. Plastic ones can overheat and deform.



## Wheel Seals



Part Number	Weight Capacity	TPW Axle Group	Spindle	Type	Shaft Diameter	Bore Diameter	Seal OD	Seal Width	Redneck
TPWGS-1250DL	2 to 2.2K	1A	BT8	Grease	1.250"	1.979"	1.983"	0.250"	12192TB
TPWGS-1500DL	2 to 2.5K	1B	BTR/BT16	Grease	1.500"	1.983"	1.987"	0.250"	10-60
TPWGS-1687DL	3.7K	N/A	3.7K Marine	Grease	1.687"	2.561"	2.565"	0.500"	168255TB
TPWGS-1688DL		N/A	UFP 84 Hubs	Grease	1.688"	2.328	2.332"	0.310	168233
TPWGS-1719DL	3.5 to 4.4K	2	#84	Grease	1.719"	2.561"	2.565"	0.500"	10-19
TPWGS-1750SL	2.8K	N/A	2.8K Dexter	Grease	1.750"	2.308"	2.312"	0.310"	10-42
TPWGS-2125DL	5.2 to 7K	N/A	#42 (2-1/8")	Grease	2.125"	3.372"	3.376"	0.313"	10-10
TPWGS-2250DL	5.2 to 8K	4 & 8	#42 (2-1/4")	Grease	2.250"	3.371"	3.376"	0.375"	10-36
TPWGS-2375	#99 Spindle		#99	Grease	2.375"	3.619"	3.623"	0.359"	T51153
TPWOS-2750		N/A	Hayes #99 Spindle	Oil	2.750"		3.779		91030
TPWOS-2250	5.2 to 8K	4 & 8		Oil	2.250"	3.371"	3.376"	0.490"	10-63
TPWOS-2875	9 to 10K	12		Oil	2.875"	3.875"	3.880"	0.515"	10-51
TPWOS-3125	12 to 16K	17 & 19		Oil	3.125"	4.500"	4.500"	0.595"	10-56



Part Number	Description	Applications	Dimensions			Redneck
			A	B	C	
TPWDC-178	1 3/4" Dust Cap		1.78	1.30	N/A	
TPWDC-199	2" Dust Cap	2-3.5K	1.99	1.20	N/A	46749
TPWDC-199L	2" Lubed Dust Cap	2-3.5K	1.99	1.40	1.18	21-41-1
TPWDC-233	2 1/3" Dust Cap		2.33	1.00	N/A	
TPWDC-244	2 1/2" Dust Cap	5.2-6K	2.44	1.34	N/A	45896/1604
TPWDC-244L	2 1/2" Lubed Dust Cap	5.2-6K	2.44	1.52	1.18	21-42-1
TPWDC-272	2 3/4" Dust Cap	7K	2.72	1.28	N/A	38605/21-39
TPWDC-272L	2 3/4" Lubed Dust Cap	7K	2.72	1.52	1.18	21-43-1
TPWDC-325	3 1/4" Dust Cap	Village 7K Axle	3.25	1.22	N/A	1602
TPWDC-335	3.355" Dust Cap	#99 Spindle & 50MM Nev-R-Lube Axle	3.36	1.61	N/A	75DC
TPWDC-RP	Rubber Lube Plug fits 1.18" Lubed Dust Cap Hole					85-1

## Oil Hub Caps

Axle Capacity	TPW Part #	Description	O-ring
6-7K	TPWOC-256	2.56" Oil Hub Cap for Dexter 5 spoke 6-7K axles	TPWOR-256
7-8K	TPWOC-275	2.75" Oil Hub Cap for AL-KO/Hayes 7-8K After 01/97	TPWOR-275-287
6-8K	TPWOC-281	2.81" Oil Hub Cap for Lippert 6-8K Axles	
	TPWOC-281B	2.81" Black Oil/Grease Hub Cap for Lippert 6-8K Axles	
6-8K	TPWOC-287	2.87" Oil Hub Cap for Dexter 6K, 8K, 9K before 10/89 axles	
	TPWOC-287M	2.87" Oil Hub Cap for Dexter 6K, 8K, 9K before 10/89 axles, Metal	
9-10K GD	TPWOC-347	3.47" Oil Hub Cap for Dexter 9-10K GD axles After 07/09	TPWOR-347
	TPWOC-347M	3.47" Oil Hub Cap for Dexter 9-10K GD axles After 07/09, Metal	
10-16K	TPWOC-350	3.50" Oil Hub Cap for AL-KO/Hayes 10-16K axles	TPWOR-400
	TPWOC-375M	3.75" Oil Hub Cap for 9-16K Axles, Metal	
9-16K	TPWOC-400H	4.00" Oil Hub Cap for Lippert 10-16K axles, High Profile	
	TPWOC-400	4.00" Oil Hub Cap for Dexter 9-16K axles, Low Profile	
	TPWOC-400M	4.00" Oil Hub Cap for Dexter 9-16K axles, Low Profile, Metal	
	TPWOC-400MH	4.00" Oil Hub Cap for Dexter/Lippert 9-16K axles, High Profile, Metal	
N/A	TPWOC-RP	Oil Cap Rubber Plug	N/A



## Bearing Buddies

TPW Part	Description
TPWBB-1980A	42200 Model 1980A Chrome Plated Bearing Buddies w/ Dust Covers 1.98" (Typically 2K - 3.5K)(4 and 5 Lug)
TPWBB-2441	42441 Model 2441 Chrome Plated Bearing Buddies w/Dust Covers 2.441" (Typically 5.2K - 6K)(6 Lug)
TPWBB-2717	42717 Model 2717 Chrome Plated Bearing Buddies w/ Dust Covers 2.717" (Typically 5.2K - 7K)(8 Lug)
TPWBB-17B	70017 Model 17B Bra Pair for Bearing Buddy model No. 1781, 1810
TPWBB-19B	70019 Model 19B Bra Pair for Bearing Buddy 42200, 1980A
TPWBB-23B	70023 Model 23B Bra Pair for Bearing Buddy 42441, 42717



801-658-0968  
sales@tpwusa.com



# TPW Production Axles



TO ORDER: [SALES@TPWUSA.COM](mailto:SALES@TPWUSA.COM) - OR - CALL: 801-658-0968

Type	Part #	Description
<b>2,000 lbs Axles</b>		
Torsion	TPWAX20CT	2K Torsion Axle, Clockable Spindle, Bare Beam
	TPWAX20CT440ID	2K Torsion Axle, Clockable Spindle, Loaded with 4 on 4" Idler Hubs
	TPWAX20CT545IDS	2K Torsion Axle, Clockable Spindle, Loaded with 5 on 4.5" Small Flange Idler Hubs for 8-12" Wheels
	TPWAX20CT545ID	2K Torsion Axle, Clockable Spindle, Loaded with 5 on 4.5" Large Flange Idler Hubs for 13-15" Wheels
Straight	TPWAX20S	2K Straight Axle, Bare Beam
	TPWAX20S440ID	2K Straight Axle, Loaded with 4 on 4" Idler Hubs
	TPWAX20S545IDS	2K Straight Axle, Loaded with 5 on 4.5" Small Flange Idler Hubs for 8-12" Wheels
	TPWAX20S545ID	2K Straight Axle, Loaded with 5 on 4.5" Large Flange Idler Hubs for 13-15" Wheels
<b>3,500 to 4,400 lbs Axles</b>		
Torsion	TPWAX35CT	3.5K Torsion Axle, Clockable Spindle, Bare Beam
	TPWAX35CT545ID	3.5K Torsion Axle, Clockable Spindle, Loaded with 5 on 4.5" Idler Hubs
	TPWAX35CT5475ID	3.5K Torsion Axle, Clockable Spindle, Loaded with 5 on 4.75" Idler Hubs
	TPWAX35CT550ID	3.5K Torsion Axle, Clockable Spindle, Loaded with 5 on 5" Idler Hubs
	TPWAX35CT555ID	3.5K Torsion Axle, Clockable Spindle, Loaded with 5 on 5.5" Idler Hubs
	TPWAX35CT545EB	3.5K Torsion Axle, Clockable Spindle, Loaded with 5 on 4.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX35CT5475EB	3.5K Torsion Axle, Clockable Spindle, Loaded with 5 on 4.75" Hub/Drum Assemblies and Electric Brakes
	TPWAX35CT550EB	3.5K Torsion Axle, Clockable Spindle, Loaded with 5 on 5" Hub/Drum Assemblies and Electric Brakes
	TPWAX35CT555EB	3.5K Torsion Axle, Clockable Spindle, Loaded with 5 on 5.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX35CT545HB	3.5K Torsion Axle, Clockable Spindle, Loaded with 5 on 4.5" Hub/Drum Assemblies and Hydraulic Brakes
	TPWAX35CT545HDB	3.5K Torsion Axle, Clockable Spindle, Loaded with 5 on 4.5" Hub/Hydraulic Disc Brake Assemblies
	TPWAX35CT545HDBE	3.5K Torsion Axle, Clockable Spindle, Loaded with 5 on 4.5" Hubs and Economy Hydraulic Disc Brake Assemblies
	TPWAX35CT655ID	3.5K Torsion Axle, Clockable Spindle, Loaded with 6 on 5.5" Idler Hubs
	TPWAX35CT655EB	3.5K Torsion Axle, Clockable Spindle, Loaded with 6 on 5.5" Hub/Drum Assemblies and Electric Brakes
Straight	TPWAX35S	3.5K Straight Axle, Bare Beam
	TPWAX35S545ID	3.5K Straight Axle, Loaded with 5 on 4.5" Idler Hubs
	TPWAX35S5475ID	3.5K Straight Axle, Loaded with 5 on 4.75" Idler Hubs
	TPWAX35S550ID	3.5K Straight Axle, Loaded with 5 on 5" Idler Hubs
	TPWAX35S555ID	3.5K Straight Axle, Loaded with 5 on 5.5" Idler Hubs
	TPWAX35S545EB	3.5K Straight Axle, Loaded with 5 on 4.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX35S5475EB	3.5K Straight Axle, Loaded with 5 on 4.75" Hub/Drum Assemblies and Electric Brakes
	TPWAX35S550EB	3.5K Straight Axle, Loaded with 5 on 5" Hub/Drum Assemblies and Electric Brakes
	TPWAX35S555EB	3.5K Straight Axle, Loaded with 5 on 5.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX35S545HB	3.5K Straight Axle, Loaded with 5 on 4.5" Hub/Drum Assemblies and Hydraulic Brakes
	TPWAX35S545HDB	3.5K Straight Axle, Loaded with 5 on 4.5" Hub/Hydraulic Disc Brake Assemblies
	TPWAX35S545HDBE	3.5K Straight Axle, Loaded with 5 on 4.5" Hubs and Economy Hydraulic Disc Brake Assemblies
	TPWAX35S655ID	3.5K Straight Axle, Loaded with 6 on 5.5" Idler Hubs
	TPWAX35S655EB	3.5K Straight Axle, Loaded with 6 on 5.5" Hub/Drum Assemblies and Electric Brakes
Drop	TPWAX35D	3.5K Drop Axle, Bare Beam
	TPWAX35D545ID	3.5K Drop Axle, Loaded with 5 on 4.5" Idler Hubs
	TPWAX35D5475ID	3.5K Drop Axle, Loaded with 5 on 4.75" Idler Hubs
	TPWAX35D550ID	3.5K Drop Axle, Loaded with 5 on 5" Idler Hubs
	TPWAX35D555ID	3.5K Drop Axle, Loaded with 5 on 5.5" Idler Hubs
	TPWAX35D545EB	3.5K Drop Axle, Loaded with 5 on 4.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX35D5475EB	3.5K Drop Axle, Loaded with 5 on 4.75" Hub/Drum Assemblies and Electric Brakes
	TPWAX35D550EB	3.5K Drop Axle, Loaded with 5 on 5" Hub/Drum Assemblies and Electric Brakes
	TPWAX35D555EB	3.5K Drop Axle, Loaded with 5 on 5.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX35D545HB	3.5K Drop Axle, Loaded with 5 on 4.5" Hub/Drum Assemblies and Hydraulic Brakes
	TPWAX35D545HDB	3.5K Drop Axle, Loaded with 5 on 4.5" Hub/Hydraulic Disc Brake Assemblies
	TPWAX35D545HDBE	3.5K Drop Axle, Loaded with 5 on 4.5" Hubs and Economy Hydraulic Disc Brake Assemblies
	TPWAX35D655ID	3.5K Drop Axle, Loaded with 6 on 5.5" Idler Hubs
	TPWAX35D655EB	3.5K Drop Axle, Loaded with 6 on 5.5" Hub/Drum Assemblies and Electric Brakes
Boat Drop	TPWAX35BD22	Boat Drop Spindle, 2 x 2 Inch Tube
	TPWAX35BD23	Boat Drop Spindle, 2 x 3 Inch Tube
<b>5,200 to 6,000 lbs Axles</b>		
Torsion	TPWAX52CT	5.2K Torsion Axle, Clockable Spindle, Bare Beam
	TPWAX52CT655ID	5.2K Torsion Axle, Clockable Spindle, Loaded with 6 on 5.5" Idler Hubs
	TPWAX52CT655EB	5.2K Torsion Axle, Clockable Spindle, Loaded with 6 on 5.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX52CT655HB	5.2K Torsion Axle, Clockable Spindle, Loaded with 6 on 5.5" Hub/Drum Assemblies and Hydraulic Brakes
	TPWAX52CT655HDB	5.2K Torsion Axle, Clockable Spindle, Loaded with 6 on 5.5" Hub/Hydraulic Disc Brake Assemblies
	TPWAX52CT655HDBE	5.2K Torsion Axle, Clockable Spindle, Loaded with 6 on 5.5" Hubs and Economy Hydraulic Disc Brake Assemblies
Straight	TPWAX60S655ID	5.2K - 6K Straight Axle, Loaded with 6 on 5.5" Idler Hubs
	TPWAX60S655EB	5.2K - 6K Straight Axle, Loaded with 6 on 5.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX60S655HB	5.2K - 6K Straight Axle, Loaded with 6 on 5.5" Hub/Drum Assemblies and Hydraulic Brakes
	TPWAX60S655HDB	5.2K - 6K Straight Axle, Loaded with 6 on 5.5" Hub/Hydraulic Disc Brake Assemblies
	TPWAX60S655HDBE	5.2K Straight Axle, Loaded with 6 on 5.5" Hubs and Economy Hydraulic Disc Brake Assemblies
Drop	TPWAX60D655ID	5.2K - 6K Drop Axle, Loaded with 6 on 5.5" Idler Hubs
	TPWAX60D655EB	5.2K - 6K Drop Axle, Loaded with 6 on 5.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX60D655HB	5.2K - 6K Drop Axle, Loaded with 6 on 5.5" Hub/Drum Assemblies and Hydraulic Brakes
	TPWAX60D655HDB	5.2K - 6K Drop Axle, Loaded with 6 on 5.5" Hub/Hydraulic Disc Brake Assemblies
	TPWAX60D655HDBE	5.2K Drop Axle, Loaded with 6 on 5.5" Hubs and Economy Hydraulic Disc Brake Assemblies



# TPW Production Axles



TO ORDER: [SALES@TPWUSA.COM](mailto:SALES@TPWUSA.COM) - OR - CALL: 801-658-0968

Type	Part #	Description
<b>7,000 lbs Axles</b>		
<b>Torsion</b>	TPWAX70CT	7K Torsion Axle, Clockable Spindle, Bare Beam
	TPWAX70CT865ID	7K Torsion Axle, Clockable Spindle, Loaded with 8 on 6.5" Idler Hubs
	TPWAX70CT865EB	7K Torsion Axle, Clockable Spindle, Loaded with 8 on 6.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX70CT865AEB	7K Torsion Axle, Clockable Spindle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 9/16" Studs and Electric Brakes
	TPWAX70CT865BEB	7K Torsion Axle, Clockable Spindle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 5/8" Studs and Electric Brakes
	TPWAX70CT865HBB	7K Torsion Axle, Clockable Spindle, Loaded with 8 on 6.5" Hub/Drum Assemblies and Hydraulic Brakes
	TPWAX70CT865AHB	7K Torsion Axle, Clockable Spindle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 9/16" Studs and Hydraulic Brakes
	TPWAX70CT865BHB	7K Torsion Axle, Clockable Spindle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 5/8" Studs and Hydraulic Brakes
	TPWAX70CT865HDB	7K Torsion Axle, Clockable Spindle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies
	TPWAX70CT865AHDB	7K Torsion Axle, Clockable Spindle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 9/16" Studs
	TPWAX70CT865BHDB	7K Torsion Axle, Clockable Spindle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 5/8" Studs
<b>Straight</b>	TPWAX70S	5.2 - 7K Straight Axle, Bare Beam
	TPWAX70S865ID	7K Straight Axle, Loaded with 8 on 6.5" Idler Hubs
	TPWAX70S865EB	7K Straight Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX70S865AEB	7K Straight Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 9/16" Studs and Electric Brakes
	TPWAX70S865BEB	7K Straight Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 5/8" Studs and Electric Brakes
	TPWAX70S865HBB	7K Straight Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies and Hydraulic Brakes
	TPWAX70S865AHB	7K Straight Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 9/16" Studs and Hydraulic Brakes
	TPWAX70S865BHB	7K Straight Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 5/8" Studs and Hydraulic Brakes
	TPWAX70S865HDB	7K Straight Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies
	TPWAX70S865AHDB	7K Straight Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 9/16" Studs
	TPWAX70S865BHDB	7K Straight Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 5/8" Studs
<b>Drop</b>	TPWAX70D	5.2 - 7K Drop Axle, Bare Beam
	TPWAX70D865ID	7K Drop Axle, Loaded with 8 on 6.5" Idler Hubs
	TPWAX70D865EB	7K Drop Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies and Electric Brakes
	TPWAX70D865AEB	7K Drop Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 9/16" Studs and Electric Brakes
	TPWAX70D865BEB	7K Drop Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 5/8" Studs and Electric Brakes
	TPWAX70D865HBB	7K Drop Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies and Hydraulic Brakes
	TPWAX70D865AHB	7K Drop Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 9/16" Studs and Hydraulic Brakes
	TPWAX70D865BHB	7K Drop Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 5/8" Studs and Hydraulic Brakes
	TPWAX70D865HDB	7K Drop Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies
	TPWAX70D865AHDB	7K Drop Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 9/16" Studs
	TPWAX70D865BHDB	7K Drop Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 5/8" Studs
<b>8,000 lbs Axles</b>		
<b>Straight</b>	TPWAX80S865AEB	8K Straight Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 9/16" Studs and Electric Brakes
	TPWAX80S865BEB	8K Straight Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies with 5/8" Studs and Electric Brakes
	TPWAX80S865AHDB	8K Straight Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 9/16" Studs
	TPWAX80S865BHDB	8K Straight Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 5/8" Studs
<b>10,000 lbs Axles</b>		
<b>Straight</b>	TPWAX100S865BEB	10K Straight Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies 4.75" Pilot with 5/8" Studs and Electric Brakes
	TPWAX100S865BHDBS	10K Straight Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 5/8" Studs, Single Wheel
	TPWAX100S865BHDBD	10K Straight Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 5/8" Studs, Dual Wheel
<b>12,000 lbs Axles</b>		
<b>Straight</b>	TPWAX120S865BEB	12K Straight Axle, Loaded with 8 on 6.5" Hub/Drum Assemblies 4.75" Pilot with 5/8" Studs and Electric Brakes
	TPWAX120S865BHDBS	12K Straight Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 5/8" Studs, Single Wheel
	TPWAX120S865BHDBD	12K Straight Axle, Loaded with 8 on 6.5" Hub/Hydraulic Disc Brake Assemblies and 5/8" Studs, Dual Wheel



801-658-0968  
sales@tpwusa.com



## Trailer Jacks

### A-FRAME JACKS



Part Number	Lift Cap.	Travel	R	E	Description	Unit Wt.
TPWJAF-2K-14	2000lb	14"	19"	33"	Drop through bolt-on or weld-on, Black	8.35lb
TPWJAF-5K-15	5000lb	15"	19"	34"	Drop through bolt-on or weld-on, Black	10.17lb

### WELD-ON SWIVEL JACKS



Part Number	Lift Cap.	Travel	R	E	Description	Unit Wt.
TPWJSTW-2K-10	2000lb	10"	15"	25"	Top wind Swivel, Retaining Ring Mount, Black	10.95lb
TPWJSTW-2K-15	2000lb	15"	20"	25"	Top wind Swivel, Retaining Ring Mount, Black	13.03lb
TPWJSSW-2K-10	2000lb	10"	16.65"	26.65"	Side wind Swivel, Retaining Ring Mount, Black	12.93lb
TPWJSSW-2K-15	2000lb	15"	21.65"	36.65"	Side wind Swivel, Retaining Ring Mount, Black	15.01lb

### TUBE MOUNT SWIVEL JACKS



Part Number	Lift Cap.	Travel	R	E	Description	Unit Wt.
TPWJSTTW-2K-10	2000lb	10"	15"	25"	Top wind Swivel, Tube Mount, Black	11.61lb
TPWJSTTW-2K-15	2000lb	15"	20"	35"	Top wind Swivel, Tube Mount, Black	13.59lb
TPWJSSW-5K-10	5000lb	10"	15"	25"	Side wind Swivel, Tube Mount, Black	12.27lb
TPWJSSW-5K-15	5000lb	15"	20"	35"	Side wind Swivel, Tube Mount, Black	14.69lb

### LIGHT DUTY DIRECT WELD JACKS



Part Number	Lift Cap.	Travel	R	E	Description	Unit Wt.
TPWJTWD7K-15	7,000lb	15"	22.50"	37.50"	Top Wind with Drop Leg, Square, Black	24.20lb
TPWJSWD7K-15	7000lb	15"	24.75"	39.75"	Side Wind with Drop Leg, Square, Black	10.17lb

### MEDIUM DUTY DIRECT WELD JACKS



Part Number	Lift Cap.	Travel	R	E	Description	Unit Wt.
TPWJSWD12K-FP	12,000lb	12.5"	29"	41.5"	Side Wind w/Front Pull Pin, Crank Handle w/ Spring Return, Square, Black	64.90lb
TPWJSWD12K-SP	12,000lb	12.5"	29"	41.5"	Side Wind w/Side Pull Pin, Crank Handle w/ Spring Return, Square, Black	64.90lb



801-658-0968  
sales@tpwusa.com



## Trailer Jacks

### MEDIUM DUTY DIRECT WELD JACKS



Part Number	Lift Cap.	Travel	R	E	Description	Unit Wt.
TPWJSWD2S12K-FP	12,000lb	12.5"	29"	41.5"	Two-Speed Side Wind w/Front Pull Pin, Crank Handle w/Spring Return, Black	70.50lb

### ELECTRIC JACKS



Part Number	Lift Cap.	Travel	R	E	Description	Unit Wt.
TPWJEAF-3.5K-24	3,500lb	19.5"	9"	28.5"	12V DC Powered w/Manual Over-Ride, Drop Through Bolt-on or Weld_on	20.30lb

### SIDE WIND MARINE JACKS



Part Number	Lift Cap.	Travel	R	E	Description	Unit Wt.
TPWJSWWM1K-10	1,000lb	10"	22.25"	32.25"	Side Wind Swivel, Weld-on w/6" Caster	11.61lb
TPWJSWBM1.2K-10	1,200lb	11"	22.25"	33.50"	Side Wind Swivel, Bolt-on w/6" Caster	13.59lb
TPWJSWBM1.5K-10	1,500lb	10"	25.25"	35.25"	Side Wind Swivel, Bolt-on w/6" Caster	12.27lb
TPWJSWBMD1.5K-10	1,500lb	10"	25.25"	35.25"	Side Wind Swivel, Bolt-on w/6" Dual-Caster	14.69lb
TPWJSWFBM2.5K-28	2,500lb	15-28"	7.25"	25.50"	Square Side Wind Fixed, Bolt-on, w/Jack-Foot	14.69lb

## Couplers

### A-FRAME COUPLERS



Part Number	Ball Size	SAE Class	Capacity	Finish	Description	Unit Wt.
TPWCAF-7K-2	2"	4	7,000lb	Black	A-Frame 7,000lb-black	14.69lb
TPWCAF-12.5K-2516	2 5/16"	4	12,500lb	Black	A-Frame 12,500lb-black	18.07lb

### ADJUSTABLE-SLEEVE LOCK



### ADJUSTABLE TOP LEVER LATCH



Part Number	Ball Size	SAE Class	Capacity	Finish	Description	Unit Wt.
TPWCADJ-7KB-2	2"	4	7,000lb	Black	Adjustable Sleeve Top Lock 7,000lb-black	12.88lb
TPWCADJ-12.5KB-2516	2 5/16"	4	12,500lb	Black	Adjustable Sleeve Top Lock 12,500lb-black	15.13lb
TPWCADJ-15K-2516	2 5/16"	4	15,000lb	Black	Adjustable Top Lever Latch 15,000lb clack	13.23lb



801-658-0968  
sales@tpwusa.com



### MOUNTING BRACKETS



Part Number	Capacity	Finish	Description	Unit Wt.
TPWMG-6H-5P	15,000lb	Oiled	Mounting Bracket, 6 Hole/5 Position	6.17LB

### STRAIGHT TONGUE COUPLERS



Part Number	Ball Size	Tongue Size	Capacity	Finish	Description	Unit Wt.
TPWCS-2K-178-2Z	1 7/8"	2"	2,000lb	Zinc	Straight Tongue Coupler Zinc Plated	2.58lb
TPWCS-2K-178-2	1 7/8"	2"	2,000lb	Oily	Straight Tongue Coupler Oily	2.58lb
TPWCS-2KZ-178-2.5	1 7/8"	2 1/2"	2,000lb	Zinc	Straight Tongue Coupler Zinc Plated	2.81lb
TPWCS-2K-178-2.5	1 7/8"	2 1/2"	2,000lb	Oily	Straight Tongue Coupler Oily	2.81lb
TPWCS-2KZ-178-3	1 7/8"	3"	2,000lb	Zinc	Straight Tongue Coupler Zinc Plated	3.02lb
TPWCS-2K-178-3	1 7/8"	3"	2,000lb	Oily	Straight Tongue Coupler Oily	3.02lb
TPWCS-3.5KZ-2-2	2"	2"	3,500lb	Zinc	Straight Tongue Coupler Zinc Plated	4.35lb
TPWCS-3.5K-2-2	2"	2"	3,500lb	Oily	Straight Tongue Coupler Oily	4.35lb
TPWCS-3.5KZ-2-2.5	2"	2.5"	3,500lb	Zinc	Straight Tongue Coupler Zinc Plated	4.52lb
TPWCS-3.5K-2-2.5	2"	2.5"	3,500lb	Oily	Straight Tongue Coupler Oily	4.52lb
TPWCS-3.5KZ-2-3	2"	3"	3,500lb	Zinc	Straight Tongue Coupler Zinc Plated	4.74lb
TPWCS-3.5K-2-3	2"	3"	3,500lb	Oily	Straight Tongue Coupler Oily	4.74lb
TPWCS-5KZ-2-3	2"	3"	5,000lb	Zinc	Straight Tongue Coupler Zinc Plated	4.96lb
TPWCS-5K-2-3	2"	3"	5,000lb	Oily	Straight Tongue Coupler Oily	4.96lb

### A-FRAME COUPLERS



Part Number	Ball Size	Tongue Style	Capacity	Finish	Description	Unit Wt.
TPWCAF-5K-2	2"	A-Frame	5,000lb	Black	A-Frame Coupler 5k-Black	7.26lb
TPWCAF-5K-2516	2 5/16"	A-Frame	14,000lb	Black	A-Frame Coupler 14k-Black	9.16lb

### YOKE STYLE A-FRAME COUPLERS



Part Number	Ball Size	Tongue Style	Capacity	Finish	Description	Unit Wt.
TPWCAF-8K-2	2"	A-Frame	8,000lb	Black	A-Frame Yoke Style Coupler 8k-Black	9.68lb

### ROUND & SQUARE GOOSENECK COUPLERS



Part Number	Ball Size	Tongue Style	Capacity	Description	Unit Wt.
TPWCGNR-25K-2516	2 5/16"	Gooseneck	25,000lb	Round Adjustable Gooseneck Coupler, 29" Retracted Height w/8" Travel 4 1/2" Dia. Outer Tube 4" Dia. Inner Tube w/Cast Locking Plate & 3/4" Load Bearing pin, 2 Set Screws	54.73lb
TPWCGNR-30K-2516	2 5/16"	Gooseneck	30,000lb	Round Adjustable Gooseneck Coupler, 29" Retracted Height w/8" Travel 4 1/2" Dia. Outer Tube 4" Dia. Inner Tube w/Cast Locking Plate & 3/4" Load Bearing pin, 2 Set Screws	61.36lb
TPWCGNS-25K-2516	2 5/16"	Gooseneck	25,000lb	Square Adjustable Gooseneck Coupler, 29" Retracted Height w/8" Travel 4 1/2" Dia. Outer Tube 4" Dia. Inner Tube w/Cast Locking Plate & 3/4" Load Bearing pin, 1 Set Screw.	70.16lb



801-658-0968  
sales@tpwusa.com



### HAND WINCHES



Part Number	Finish	Description	Unit Wt.
TPWJWH1K	Zinc Plated	Single Speed Trailer Winch 1,000lb. Capacity	5.51lb
TPWJWH1.4K	Zinc Plated	Single Speed Trailer Winch 1,400lb. Capacity	5.86lb
TPWJWH1.6K	Zinc Plated	Single Speed Trailer Winch 1,600lb. Capacity	7.72lb
TPWJWH2K	Zinc Plated	Two Speed Trailer Winch 2,000lb. Capacity	8.27lb
TPWJWB1K	Zinc Plated	Self-Activating with Brake Winch 1,000lb Capacity	5.51lb
TPWJWB1.5K	Zinc Plated	Self-Activating with Brake Winch 1,500lb Capacity	7.50lb

### WINCH STRAPS



Part Number	Capacity	Description	Unit Wt.
TPWJWH1K	1,000lb	Nylon 2" x 26.2" Strap w/Snap Hook 1k	1.05lb
TPWJWH1.4K	1,400lb	Nylon 2" x 26.2" Strap w/Snap Hook 1.4k	1.25lb
TPWJWH1.6K	1,600lb	Nylon 2" x 26.2" Strap w/Snap Hook 1.6k	1.56lb
TPWJWH2K	2,000lb	Nylon 2" x 26.2" Strap w/Snap Hook 2k	1.89lb

### TRAILER JACK ACCESSORIES & PARTS



Part Number	Description	Unit Wt.
TPWJF-2	Jack Foot w/Hardware, 2" Tube Zinc	1.20lb
TPWJFHD-2	Heavy Duty Foot w/Hardware 2" Tube	1.90lb
TPWJFADJ-9.5-2	Drop Leg w/Hardware, 9 1/2", 2" Tube	2.85lb
TPWJCW-2-6	Removable 6" Caster Wheel 2" Tube	4.76lb
TPWJAF-SP	Bottom Support Plate for A-Frame Jacks	0.69lb
TPWJMB-PL	Weld on Retaining Mounting Bracket Plate	1.20lb
TPWJMB-RR	Retaining Ring	0.02lb
TPWJTMB-2	Tubular Mounting Bracket 2" Tube	1.00lb
TPWJCH12K	Crank Handle, for 12,000lb. Jack	2.98lb

### JACK & COUPLER PARTS



Part Number	Description
TPWJRHTW-2K	Replacement Jack Handle 2,000lb
TPWJRHTW-5K	Replacement Jack Handle 5,000lb
TPWJRHTW-7K	Replacement Jack Handle Top Wind 7,000lb Drop Leg Jack
TPWJRHSW-7K	Replacement Jack Handle Side Wind 7,000lb Drop Leg Jack
TPWJRGK-12K	Replacement Gear Kit for 12,000lb. Drop Leg Jack
TPWJRHSWM-1-1.5K	Replacement Marine Jack Handle for Side Wind 1,000-1,500lb
TPWJMBK-M	Replacement Marine Jack Mounting Bracket Kit
TPWJCRK188-2K	Coupler Repair Kit 1-7/8" Ball 2,000lb
TPWJCRK2-3.5K	Coupler Repair Kit 2" Ball 3,500lb
TPWJCRK2-5K	Coupler Repair Kit 2" Ball 5,000lb